R/V DAN MOORE STATION LOG

VESSEL (1)	STATION (2-5)	CRUISE NO. (6-8)	MO. (9-14)	DAY	YEAR	GRID (15-17)	LATITUDE (18-21)	LONGITUDE (22-25)
M	3030	038	04	27	76	28AT	3514	7520

DEPTH (26-29)	SUR. TEMP. (30-31)	BTM TEMP. (32-33)	AIR TEMP (34-35)	BAROMETER (36-38)	BT (39)	WIND DIR. (40-41)	WIND SPD. (42-43)
0012	20	19	17	020	Y	N	02

S.C. (44)	WEA. (45-46)	BTM TYPE (47-48)	BTM REG (49)	GEAR TYPE (50-51)	GEAR SIZE (52-54)	OP (55)	TM. START (56-57)	MIN. FISHED (58-60)
1	CL	SA	E	FT	151	—	17	030

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
01	00158	—	—	00002

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
—	—	—	—	—

POSITION	LATITUDE	LONGITUDE	LORAN		DEPTH fms	C/C	TIME ON STATION	
			3H4	3L1			PO	DO
START	35° 14′	75° 20′	1080	4790	12		1644	1645
							PU	ON
FINISH	35° 16′	75° 21′	1085	4796	10		1715	1718

LENGTH WARP	SHAFT RPM	PITCH	GEAR DATA:
50	1200 rpm / 5	50	

SPECIAL MODIFICATIONS

OPERATIONAL COMMENTS

OBSERVATIONS

Digitized by the Internet Archive
in 2017 with funding from
IMLS LG-70-15-0138-15

https://archive.org/details/danmoore303000unse

R/V DAN MOORE SPECIES LIST

284J

STA. NO. 3030 DATE April 27 1976 BIOLOGISTS BFH JV SGK

TOT. CATCH WT. 160 AIR 17 SURFACE 19.5 BOTTOM 19.1

60/6 SAMPLE WT. 8.3 RAISING FACTOR 0

SPECIES	C or NC	SUBSAMPLE NUMBER	SUBSAMPLE WEIGHT	TOTAL NO.	TOTAL WT.	$\bar{X}$ WT	REMARKS
Sardinella sandwichensis							
Anchoa hepsetus							
juvenile Peprilus burti/alepidotus		numerous			51.7	of total catch	
Etrumeus teres							
Leiostomus xanthurus	NC			4	1.0	0.3	
Scomberomorus cavalla	C			1	3.8	3.8	
Cynoscion regalis	NC			2	0.5	0.3	
Mustelus canis							
Stenotomus caprinus	NC			5	0.4	0.1	
Peprilus burti/alepidotus	NC			2	0.3	0.2	
	C			1	0.3	0.3	
Lolige pealei	C			7	(1.3)	0.2	
Ovalipes quadulpensis				2	(0.2)	0.1	
Odontaspis taurus				1	100	100	